



Schueman Barrels
176 E. Jewett Blvd. #177
PO Box 50
White Salmon, WA 98672
(509) 493-3514
www.schuemann.com

Schuemann Barrel Identification Code

Schuemann Barrels offers many different models, sizes, and configurations of the 1911/2011 barrel. An 8 digit code is used to identify the features of each barrel.

Ex = GC45UNM0 is a 5", bushing barrel, .450 bore, Unramped, no threads, match grade, 16" short chambered.

Length

The first digit is for the length of the barrel, it is either an **L – G – C – O**:

- L** Full Length - 6"
- G** Government - 5"
- C** Commander - 4.25"
- O** Officer - 3.75"

Barrel Type

The second digit is for barrel type:

- B** **Hycomp** (Ribbed Barrel w/wo Comp Ports)
- C** **Classic** (Bushing Barrel)
- U** **Ultimatch** (Bull or Non-Bushing Barrel)
- H** **Hybrid** (Ribbed Barrel w/wo Hybrid holes)
- Y** **AET Hybrid** (Ribbed Barrel with or without Hybrid holes)
- O** **2 Port Hybricomp** – Commander (Threaded Ribbed Barrel w/wo Hybrid nozzles)
- O** **3 Port Hybricomp** – Government (Threaded Ribbed Barrel w/wo Hybrid nozzles)
- P** **4 Port Hybricomp** (Threaded Ribbed Barrel w/wo Hybrid nozzles)
- Q** **5 Port Hybricomp** (Threaded Ribbed Barrel w/wo Hybrid nozzles)
- S** **AET Tribrid** (Ribbed Barrel w/wo Comp Ports/Hybrid nozzles)
(Barrel locks up on the next shorter slide)
(GS – 5" barrel for a Commander, LS – 6" barrel for a Government)
- T** **AET Tribrid** (Ribbed Barrel w/wo Comp Ports/Hybrid nozzles)

Caliber

The third and fourth digit is for the caliber of the barrel:

- 35** .355 Caliber
- 40** .400 Caliber
- 45** .450 Caliber



Schueman Barrels
176 E. Jewett Blvd. #177
PO Box 50
White Salmon, WA 98672
(509) 493-3514
www.schuemann.com

Ramp Cut

The fifth digit is for the ramp of the barrel:

- U** Unramped
- C** Clark/Para/Lissner Ramp
- W** Wilson/Nowlin Ramp

Threaded

The Sixth digit is to determine if it is Threaded or has a Nubbin:

- N** Non-Threaded
- T** Threaded
- B** Nubbin

Match Grade

The Seventh digit is for the Match Grade (no selection is necessary):

- M** Match Grade

At this point we will separate the information; for bushing/bull barrels or for ribbed barrels.

Barrel Twist (for bushing and bull barrels)

For bushing and non-bushing (bull) barrels the Eighth digit determines the barrel Twist:

- 0** = 16" Constant Twist – Standard Match Grade
- 2** = 32" Constant Twist – Standard Match Grade
- 4** = 24" Gain Twist AET (38 super, 40 S&W, 45 ACP)
- 6** = 24" Gain Twist AET (9 x 19)

Barrel Twist/Porting (for ribbed barrels) (even number = porting, odd number = no porting)

For ribbed barrels the Eighth digit determines the barrel Twist, Porting and Finish Chamber size:

- 0** = 16" Constant Twist – Standard Match Grade (Short Chamber) – porting
- 1** = 16" Constant Twist – Standard Match Grade (Short Chamber) – no porting
- 2** = 32" Constant Twist – Standard Match Grade (Short Chamber) – porting
- 3** = 32" Constant Twist – Standard Match Grade (Short Chamber) – no porting
- 4** = 24" Gain Twist AET (38 super, 40 S&W, 45 ACP) – porting
- 5** = 24" Gain Twist AET (38 super, 40 S&W, 45 ACP) – no porting
- 6** = 24" Gain Twist AET (9x19) – porting
- 7** = 24" Gain Twist AET (9x19) – no porting