

Greetings All,

Wow what a year!! Unbelievable how time flies when you are having fun and love what you do. All of us Employee Owners here at STI have worked diligently to bring all of you- our loyal customers- an even better product than ever before. An STI firearm that you can depend on and are proud to own.

My big three goals of 'Quality, Efficiency, and Productivity' are a constant reminder of where our focus should be at all times: to be *the* premier manufacturer of handguns in America. This past year we have analyzed, improved and expanded on all of our processes from manufacturing and assembly to sales and how we ship packages out the door and we are keeping ourselves focused on constantly improving ourselves, our products and most importantly the service to our customers.

We constantly strive to produce an STI firearm with the upmost in quality and dependability each and every day. The importance of standing behind our product with pride knowing that we produce a firearm that could be used to protect one's life or win a world class pistol match keeps all of us here very focused.

We have an exciting group of new models to offer this year as well as improvements to some of our existing ones. We listened to what our customers were wanting and are acting on those requests. We all here value your input and will continue to listen and strive to produce firearms at the highest level with a continuing evolution of the 1911 design.

Thank you,



Georgetown, Texas

L. All

Tim Dillon, President/CEO STI International, Inc.

	TABLE OF CONTENTS	
2011	EDGE 5.0	2
(Double Stack)	EXECUTIVE 5.0	3
(Double Stack)	TACTICAL 5.0	4
	TACTICAL 3.0/ TACTICAL 4.0	5
	APEIRO 5.0	6
	LEGEND 5.0 USPSA 5.0 (DOUBLE STACK)	7 8
	IPSC 5.0	9
	EAGLE 5.0	10
	PERFECT 10	11
	VIP 3.0	12
	TOTAL ECLIPSE 3.0	13
	TRUBOR 5.0 GM 5.0	14 15
	STEELMASTER 4.0	16
	MATCHMASTER 4.0	17
1911	TROJAN 5.0	18
(Single Stack)	DUTY ONE 5.0	19
	LAWMAN 5.0	20
	LAWMAN 3.0 / LAWMAN 4.0 SENTINEL PREMIER 5.0	21 22
	SENTRY 5.0	23
	RANGEMASTER 5.0	24
	TARGETMASTER 6.0	25
	RANGER II 4.0	26
	RANGER III 4.0	27
	USPSA 5.0 (SINGLE STACK) GUARDIAN 3.0	28 29
	ESCORT 3.0	30
	SHADOW 3.0	31
	ELEKTRA 3.0	32
	OFF DUTY 3.0	33
	LS 3.0	34
	.22 (1911 & 2011- COMPLETE PISTOLS) GI 5.0	35 36
	EL COMMANDANTE 4.0	37
	SPARTAN 5.0	38
	SPARTAN 3.0/ SPARTAN 4.0	39
	GP SERIES (GP5 / GP6)	40
DADTC	SPORTING RIFLE	41
PARTS	FRAME KITS	42
	SLIDES & SLIDE TO FRAME FITS	43
	BARRELS	44
	RECOIL MASTERS & RECOIL SPRINGS	45
	GRIPS & TRIGGERS	46
	MAGAZINES & COMPONENTS PARTS	47 48
	PARTS	49
	SIGHTS & SCOPES	50
	RIFLE PARTS	51
	GEAR	52
	COMPANY POLICIES	IBC

Phone: (512) 819-0656

Page 1

Fax: (512) 819-0465



STI's Top Seller For Over 13 Years

Caliber: Frame: Grip: .45 ACP, .40 S&W, 9x19, .38 Super STI Patented Modular Steel (Long Wide) Black Glass Filled Nylon Polymer with STI Aluminum Magwell

Slide:

Unique, Round Top with STI Front and Rear Cocking Serrations

Trigger: Barrel:

STI Long Curved

Safeties:

5.01" STI Bull Barrel, Ramped, Fully Supported

STI High-Ride Beavertail Grip Safety Ambidextrous Thumb Safeties (Stainless)

Guide Rod: Sights: STI Recoil Master STI Competition Front

O.A. Length: Weight:

STI Adjustable Rear 8.5"

Finish:

38.1 oz Blued with Sides of Slide Polished

Magazine Capacity				
Caliber	126mm	140mm	170mm	
9x19, .38Super	17+1	20+1	26+1	
.40s&w	14+1	17+1	22+1	
.45ACP	11+1	14+1	N/A	

Options Available:

- ·Hard Chrome
- ·Color Inlay
- ·Custom Serial Number
- ·Dawson Fiber Optic Front Sight
- ·3 Dot Tritium
- Adjustable Sights
- ·Colored Grip With Matching Trigger
- ·Drilled & Tapped Mag Release
- ·D & T Mag Release With Oversized Button
- ·Stainless Magwell
- ·'Tactical' Magwell





.40 S&W

Frame: Grip: STI Patented Modular Steel (Long Wide) Gray Glass Filled Nylon Polymer

with STI Stainless Magwell

Slide:

Unique, Round Top with STI Front and

Rear Cocking Serrations

Trigger: Barrel: STI Long Curved Trigger (Gray) 5.01" STI Bull Barrel, Ramped, Fully

Supported

Safeties:

STI High-Ride Beavertail Grip Safety Ambidextrous Thumb Safeties

Guide Rod: | STI Recoil Master

Sights:

Dawson Fiber Optic (.100) Front

STI Adjustable Rear

Length: Weight: Finish: 8.6" 39.5 oz

Hard Chrome with Sides of Slide Polished And Color Inlay (Black)

Magazine Capacity

magazine expension			
Caliber	126mm	140mm	170mm
9x19, .38Super	N/A	N/A	N/A
.40s&w	14+1	17+1	22+1
.45ACP	N/A	N/A	N/A

Options Available:

·Drilled & Tapped Mag Release

·D & T Mag Release w/ Oversized Button

·'Tactical' Magwell





9x19, .40 S&W, .45 ACP

STI Patented Modular Steel with Integral

Tactical rail

Grip: Black Glass Filled Nylon Polymer Slide:

Classic, Flat Top with STI Front and Rear

Cocking Serrations

Trigger: STI Long Curved Trigger Barrel:

5.01" STI Bull Barrel, Ramped, Fully

Supported

Safeties: STI High-Ride Beavertail Grip Safety

Ambidextrous Thumb Safeties

(Blued)

Guide Rod: STI Recoil Master Sights: STI Ramped Front

STI Fixed Rear

8.5" Length: Weight: 37.5 oz

Finish: Blued Matte Finish



Caliber	126mm	140mm	170mm
9x19	17+1	20+1	26+1
.40s&w	14+1	17+1	22+1
.45аср	11+1	14+1	N/A

Options Available:

·Hard Chrome

Dawson Fiber Optic

Front Sight

·T.A.S.

(Tactical Adjustable

Siaht)

·Tritium Bar T.A.S.

(Tactical Adjustable Sights)

·Fixed Tritium Sights

(2 Dot)

·Drilled & Tapped Mag

Release

D & T Mag Release w/ OversizedButton

·Single Sided Thumb

Safety

·Aluminum Magwell

·'Tactical' Magwell ·Full Length Dust



9x19, .40 S&W, .45 ACP

Frame: STI Patented Modular Steel (3.0 is Alumi-

num) with Integral Tactical rail Grip: Black Glass Filled Nylon Polymer Slide:

Unique, Flat Top, with STI Front & Rear

Cocking Serrations

STI Long Curved Trigger Trigger: Barrel:

3.96" / 4.26" STI Bull Barrel, Ramped, Fully

Supported

STÍ High-Ride Beavertail Grip Safety Safeties:

Ambidextrous Thumb Safeties (Blued) STI Recoil Master

Guide Rod: STI Ramped Front Sights: STI Fixed Rear

6.75" / 7.65" Length: 30 oz / 33.9 oz Weight: Finish: Blued Matte Finish

Magazine Capacity

Caliber	126mm	140mm	170mm
9x19	17+1	20+1	26+1
.40s&w	14+1	17+1	22+1
.45ACP	11+1	14+1	N/A

OPTIONS AVAILABLE:

·Hard Chrome

·T.A.S.

(Tactical Adjustable

Sight)

·Tritium Bar T.A.S.

(Tactical Adjustable Sights)

·Fixed Tritium Sights

(2 Dot)

·Drilled & Tapped Mag

Release D & T Mag Release

With

Oversized Button

·Single Sided Thumb Safety

·Aluminum Magwell

·'Tactical' Magwell

Page 5 Phone: (512) 819-0656 Fax: (512) 819-0465



.45 ACP, .40 S&W, 9x19

Frame: Grip: STI Patented Modular Steel (Long Wide) Black Glass Filled Nylon Polymer with STI

Stainless Magwell

Slide:

Unique, Stainless Steel with STI Sabertooth

Cocking Serrations

STI Long Curved Trigger

Trigger: Barrel:

5.01" Schuemann 'Island' Style Barrel,

Safeties:

Ramped, Fully Supported STI High-Ride Grip Safety

Ambidextrous Thumb Safeties

(Stainless)

Guide Rod: Sights: STI Recoil Master

Dawson Fiber Optic Front (.100)

STI Adjustable Rear 8.6"

Length: Weight:

38 oz

Finish:

Stainless Slide with Sides Polished, Frame Blued Magazine Capacity

	magazine capacity			
	Caliber	126mm	140mm	170mm
ı	9x19	17+1	20+1	26+1
ı	.40s&w	14+1	17+1	22+1
	.45ACP	11+1	14+1	N/A

Options Available:

·'Tactical' Magwell

Special Features:



.45 ACP, .40 S&W, 9x19

Frame: STI Patented Modular Steel (Long Wide)
Grip: Black Glass Filled Nylon Polymer with

STI Stainless Magwell

Slide: Unique, Tri-Top with 30 LPI and STI

Sabertooth Cocking Serrations STI Long Curved Trigger

Trigger: STI Long Curved Trigge Barrel: 5.01" STI Bull Barrel, Ra

5.01" STI Bull Barrel, Ramped, Fully

Supported

Safeties: STI High-Ride Grip Safety Ambidextrous

Thumb Safeties (Hard Chromed)

Guide Rod: STI Recoil Master
Sights: Dawson Fiber Op

Dawson Fiber Optic Front (.100)

STI Adjustable Rear

Length: 8.6"
Weight: 38 oz
Finish: Slide

Slide Hard Chromed w/ Black Inlay,

Frame Blued

Magazine Capacity


Caliber	126mm	140mm	170mm
9x19	17+1	20+1	26+1
.40s&w	14+1	17+1	22+1
.45ACP	11+1	14+1	N/A

Options Available:

- ·Single Sided Thumb Safety
- ·'Tactical' Magwell

Special Features:





Caliber: Frame: Grip: .45 ACP, .40 S&W, 9x19, .38 Super STI Patented Modular Steel (Long Wide) Black Glass Filled Nylon Polymer with STI Stainless Magwell

Slide:

Unique, Tri-Top, Stainless Steel with STI Sabertooth Cocking Serrations STI Long Curved Trigger

Trigger: Barrel:

5.01" STI Bull Barrel, Ramped, Fully

Supported

Safeties:

STI High-Ride Beavertail Grip Safety
Ambidextrous Thumb Safeties (Stainless)

Guide Rod: | STI Recoil Master

Sights:

Dawson Fiber Optic Front (.100)

STI Adjustable Rear

Length: Weight: Finish:

38.7 oz

2 Toned Stainless Steel Slide, Blued with Sides of Slide Polished, Frame Blued

Magazine Capacity

Caliber	126mm	140mm	170mm
9x19, .38Super	17+1	20+1	26+1
.40s&w	14+1	17+1	22+1
.45ACP	11+1	14+1	N/A


Options Available:

·Single Sided Thumb Safety

·'Tactical' Magwell

Special Features:





Caliber: Frame: Grip:

.45 ACP, .40 S&W, 9x19, .38 Super

STI Patented Modular Steel (Long Wide) Black Glass Filled Nylon Polymer with

Stainless Magwell

Slide: Unique, Tri-Top with 30 LPI and STI

Sabertooth Cocking Serrations

Trigger: STI Long Curved Trigger Barrel:

5.01" STI Bull Barrel, Ramped, Fully

Supported

STİ High-Ride Grip Safety Safeties:

Ambidextrous Thumb Safeties

(Hard Chromed) STI Recoil Master

Guide Rod:

Sights: Dawson Fiber Optic Front (.100)

STI Adjustable Rear

8.6" Length: Weight:

38 oz Finish:

Slide Hard Chromed w/ Black Inlay, Frame Blued Magazine Capacity



Caliber	126mm	140mm	170mm
9x19, .38Super	17+1	20+1	26+1
.40s&w	14+1	17+1	22+1
.45ACP	11+1	14+1	N/A

Options Available:

Single Sided Thumb Safety

·'Tactical' Magwell

Special Features:



Caliber: Frame: Grip: Slide:

Trigger: Barrel:

Safeties:

Guide Rod: Sights:

> Length: Weight: Finish:

.45 ACP, .357Sig, .40 S&W, 9x19 STI Patented Modular Steel Black Glass Filled Nylon Polymer Classic, Round Top, with STI Front and Rear Cocking Serrations STI Long Curved

5.11" STI Bushing Barrel/5.01" STI Bull Bar-

rel, Ramped, Fully Supported

STI High-Ride Beavertail Grip Safety Ambidextrous Thumb Safeties

(Stainless)

STI One Piece Steel STI Competition Front STI Adjustable Rear

8.6" 33.5 oz

Blued with Sides of Slide Polished

Magazine Capacity

Caliber	126mm	140mm	170mm
9x19, .38Super	17+1	20+1	26+1
.40s&w	14+1	17+1	22+1
.45ACP, .357sig	11+1	14+1	N/A

Options Available:

·Available In 6" (limited options on 6") ·Hard Chrome ·Color Inlay ·Custom Serial Number ·Long Frame to Match 5" or 6" Slide Short or Gunsmith Trigger ·Colored Grip w/ Matching ·Unique, Tri-top or Flat Top ·Dawson Fiber Optic Front

·Adjustable Tritium 3 Dot (Bómar cut) ·Fixed Tritium Sights (2Dot) Drilled and Tapped Mag Release

·STI Fixed Rear Sight

Sight

·D&T MAG Release & Over sized Button ·Stainless Steel, Aluminum, or Tactical Magwell

·Bushing Barrel Recoilmaster

Single Sided Thumb Safety



STI Patented Modular Steel with Integral Frame:

Tactical rail

Black Glass Filled Nylon Polymer Grip:

with Aluminum Magwell

Classic, Round Top, with STI Front & Rear Slide:

Cocking Serrations

Trigger: STI Long Curved Trigger Barrel:

6.0" STI Bull Barrel, Ramped, Fully

Supported

STI High-Ride Beavertail Grip Safety Safeties:

Ambidextrous Thumb Safeties (Blued)

Guide Rod: STI Two Piece Steel Sights:

STI Competition Front

STI Adjustable Rear

Length: 9.5" Weight: 41.5 07

Finish: Blued with Sides of Slide Polished

Caliber	126mm	140mm	170mm
9x19, .38Super	N/A	N/A	N/A
10 _{mm}	14+1	17+1	N/A
.45ACP, .357sig	N/A	N/A	N/A

Options Available:

Single Sided Thumb Safety

'Tactical' Magwell

Special Features:





.45 ACP, .40 S&W, 9x19

STI Patented Modular Steel or

Aluminum

Grip: Slide: Trigger: Barrel:

Safeties:

Finish:

Black Glass Filled Nylon Polymer Classic with STI Rear Cocking Serrations

STILL on a Curved Trigger

STI Long Curved Trigger

3.96" Bull Barrel, Ramped, Fully Supported

STI High-Ride Beavertail Grip Safety Single Sided Thumb Safety (Blued or

Stainless)

Guide Rod: STI Recoil Master Sights: STI Ramped Fron

STI Ramped Front, STI Fixed Rear

Length: 6.75

6.75"

Weight: Stee

Steel: 29.7 oz / Aluminum: 26 oz Blued Matte Finish (Steel)

Polished Sides of Slide (Stainless)

Caliber 120mm 126mm 140mm 9x19 15+1 17+1 20+1 .40s&W 12+1 14+1 17+1 .45ACP 10+1 11+1 14+1

Magazine Capacity

Options Available:

·Hard Chrome (Steel Version only)

·Ambi Thumb Safeties

·Aluminum Frame (Includes Stainless Steel Slide)

·Fixed Tritium Sights (2 Dot)

·T.A.S.

(Tactical Adjustable Sights)

·Tritium Bar T.A.S. (Tactical Adjustable Sights)



Frame: Grip:

Trigger:

Barrel:

Sights:

Slide:

.45 ACP, .40 S&W, 9x19

STI Patented Modular Aluminum Black Glass Filled Nylon Polymer Classic with STI Rear Cocking Serrations

& Integral Sight Channel STI Long Curved Trigger

3.24" STI Bull Barrel, Ramped, Fully

Supported

Safeties:

STI High-Ride Beavertail Grip Safety Single Thumb Safety (KG Coated)

Guide Rod: STI 3.0 Recoil Master

Fixed Tritium (2 dot) Sights, Lowered and Inset Into Slide

Length: 7.0" Weight: 23.1 oz

Finish: Black KG Coated

Caliber	105mm	120mm	126mm
9x19	12+1	15+1	17+1
.40s&w	10+1	12+1	11+1
.45ACP	9+1	10+1	11+1

Options Available:

·Ambi Thumb Safeties

Page 13 Phone: (512) 819-0656 Fax: (512) 819-0465



Caliber: Frame: Grip:

Slide:

9x19, .38 Super

STI Patented Modular Steel Black Glass Filled Nylon Polymer

With Aluminum Magwell

Classic, Slide Lightening with STI Front

and Rear Cocking Serrations

STI Long Curved Trigger 5.01" STI Trubor Barrel, Ramped, Fully

Supported w/ 2" Integral Comp. (T1 is

1.6")

Safeties:

Trigger:

Barrel:

STI Áigh-Ride Beavertail Grip Safety Ambidextrous Thumb Safeties (Stainless) STI One Piece Steel

Guide Rod: Sights: Length: Weight:

10.5" 41.3 oz

Finish: Blued with Sides of Slide Polished

C-More Scope (Black)



Magazine Capacity

magazine capacity					
Caliber	126mm	140mm	170mm		
9x19, .38Super	17+1	20+1	26+1		
.40s&W, 10mm	N/A	N/A	N/A		
.45ACP, .357sig	N/A	N/A	N/A		

Options Available:

·Hard Chrome

·Color Inlay

·Colored Grip with Matching Trigger

·C-More Click Scope ·Color C-More Scope

Drilled & Tapped Mag

·D&T Mag Release with

Oversized Button Stainless Magwell

·Recoilmaster

·Single Sided Thumb Safety

·'Tactical' Magwell **NOTE:**

Unless otherwise requested:

9x19 has the T1 Comp. .385 has the T2 Comp.



Caliber: Frame: Grip: .9x19, .38 Super

STI Patented Modular Steel Blue Glass Filled Nylon Polymer with Stainless Magwell and Drilled

and Tapped Mag Release

Slide:

Trigger:

Barrel:

Classic, Flat Top, Slide Lightening with STI

Sabertooth Cocking Serrations STI Gunsmith Blank Trigger

5.01" STI Trubor Bull Barrel, Ramped, Fully Supported w/ 2" Integral Comp. (T1

is 1.6")

Safeties:

STI High-Ride Beavertail Grip Safety Ambidextrous Thumb Safeties

Guide Rod:
Sights:
Length:
Weight:
Finish:

STI Recoil Master C-More Scope (gray) 10.5"

10.5" 44.6 oz

Hard Chrome w/ Color Inlay (blue) Magazine Capacity

Magazine Capacity					
Caliber	126mm	140mm	170mm		
9x19, .38Super	17+1	20+1	26+1		
.40s&W, 10mm	N/A	N/A	N/A		
.45ACP, .357sig	N/A	N/A	N/A		

Options Available:

·Short or Long Trigger ·Colored Grip w/ Matching Trigger, Inlay, & Mag Base Pad ·Colored C-more scope ·Oversized Mag Button ·"Click Adjustable" C-More Red Dot Scope

Pistol Includes:

- · One STI Team Shirt
- · One STI Cap
- Test Target

Special Features:

·Blended Magwell **NOTE:**

Unless otherwise requested:

9x19 has the T1 Comp. .38S has the T2 Comp.



Phone: (512) 819-0656 Fax: (512) 819-0465



9x19

Grip:

Slide:

Safeties:

Sights:

STI Patented Modular Steel

Black Glass Filled Nylon Polymer, with Aluminum Magwell, Drilled & Tapped

Magazine Release

Classic, Lightened Front & Rear with STI

Sabertooth Cocking Serrations

STI Long Curved Triager Trigger: Barrel:

4.26" STI Trubore Barrel, Ramped, Fully Supported, w/ 1.6" Integral Comp.

STI High-Ride Beavertail Grip Safety Ambidextrous Thumb Safeties (Stainless)

Guide Rod: STI Recoil Master (Light)

C-More Red Dot Scope with Blast Shield

and Thumb Rest

9.5" Length: Weight:

38.9 oz

Finish: Blued with Sides of Slide Polished Magazine Capacity



Caliber 126mm | 140mm | 170mm 9x19 17 + 120+126+1.40s&W, 10mm N/A N/A N/A 45ACP, .357sig N/A N/A N/A

Options Available:

·Hard Chrome

·"Click Adjustable"

C-More Red Dot Scope

·Single Sided Thumb Safety

'Tactical' Magwell

Special Features:

Slide Lightening Holes

·Thumb Rest



Caliber: Frame: Grip:

Slide:

Trigger:

Safeties:

Sights:

Guide Rod:

Barrel:

9x19, .38 Super

STI Patented Modular Steel

Black Glass Filled Nylon Polymer, with Aluminum Magwell, Drilled & Tapped

Magazine Release

Classic, Lightened Front & Rear with STI

Sabertooth Cocking Serrations

STI Long Curved Trigger

4.26" STI Trubore Barrel, Ramped, Fully Supported, with 1.6" Integral Comp.

STI High-Ride Beavertail Grip Safety Ambidextrous Thumb Safeties (Stainless)

STI Recoil Master (Light)

C-More Red Dot Scope with Blast Shield

and Thumb Rest

9.5" Length: Weight: 38.9 oz Finish:

Blued with Sides of Slide Polished

Magazine Capacity					
Caliber	126mm	140mm	170mm		
9x19, .38Super	17+1	20+1	26+1		
.40s&W, 10mm	N/A	N/A	N/A		
.45ACP, .357sig	N/A	N/A	N/A		

Options Available:

·Hard Chrome

·"Click Adjustable" Red Dot C-More Scope

Single Sided Thumb Safety

·'Tactical' Magwell

Special Features:

·Slide Lightening Holes

Blended Magwell



Phone: (512) 819-0656 Fax: (512) 819-0465



STI's Top Selling 1911 For Over 10 Years

Caliber: Frame:

Grine.

Grip: Slide:

Trigger: Barrel:

Safeties:

Guide Rod: Sights:

> Length: Weight: Finish:

.45 ACP, .40 S&W, 9x19, .38 Super STI 1911 Government Frame, STI Stippled Front Strap, Undercut Trigger Guard Checkered Cocobola Grip Panels Classic with STI Front and Rear Cocking

Serrations

STI Long Curved Trigger

5.11" STI Bushing Barrel, Ramped, Fully

Supported

STI High-Ride Beavertail Grip Safety Single Sided Thumb Safety (Blued)

STI One Piece Steel STI Competition Front, STI Adjustable Rear

8.5" 36 oz

Blued Matte Finish

Options Available:

·6" Slide & Barrel ·Hard Chrome

·Thick Grips

Dawson Front Sight
STI Fixed Rear Sight
Adjustable Tritium 3

Dot Set (Bomar cut)

Ambi Thumb Safeties

·Magwell With Steel


Mainspring Housing

·Fixed Tritium Sight Set (2 Dot) (5" Only)

·Recoilmaster (5" Only)

Note:

6" is only available in 9x19 & .45 ACP



.45 ACP, .40 S&W, 9x19

Frame:

STI 1911 Frame with Integral Tactical Rail, 30 LPI Front Strap Checkering, Undercut

Trigger Guard

Grip: Slide: STI G10 Grip Panels

Classic, Flat Top with STI Front and Rear

Cocking Serrations

Trigger: Barrel: STI Long Curved Trigger 5.01" STI Bull barrel, Ramped, Fully

Supported

Safeties:

STİ High-Ride Beavertail Grip Safety

Ambidextrous Thumb Safeties (Blued) STI Recoil Master

Guide Rod: Sights:

STI Ramped Front

STI Fixed Rear 8.5"

Length: Weight:

37.2 oz

Finish:

Blued Matte Finish



Options Available:

·Fixed Tritium Sights (2 Dot)

·Single Sided Thumb

Safety

·Bushing Barrel

Long Dust Cover



.45 ACP, 9x19

Frame:

STI 1911 Forged Frame with 30 LPI Front Strap Checkering (Steel), Undercut Trigger

Guard

Grip:

STI G10 Grip Panels

Slide:

Classic, Round Top with Front And Rear

Cocking Serrations

Trigger: Barrel:

STI Long Curved Aluminum Trigger 5.11" STI Bushing Barrel, Ramped, Fully

Supported

Safeties:

STI High-Ride Beavertail Grip Safety Single Sided Thumb Safety (Blued)

Guide Rod: Sights: STI One Piece Steel STI Ramped Front

T.A.S. Rear (Tactical Adjustable Sight) 8.5"

Length: Weight: Finish:

37 oz

Blued-Polished Sides Of Slide KG Coated 2 Tone- Brown/Tan KG Coated 2 Tone Black/O.D. Green



Options Available:

·Finish

·Ambi Thumb Safeties ·Tritium Bar T.A.S. (Tactical Adjustable Sights)



Caliber: .45 ACP, 9x19

Frame: | STI 1911 Forged Frame with 30 LPI Front

Strap Checkering (Steel), Undercut Trigger

Guard

Grip: STI G10 Grip Panels
Slide: Classic with Front A

Classic with Front And Rear Cocking

Serrations

Trigger: STI Long Curved Aluminum Trigger
Barrel: 3.24" / 4.26" STI Bushing Barrel, Ramped,

Fully Supported

Safeties: STI High-Ride Beavertail Grip Safety

Single Sided Thumb Safety (Blued)

Guide Rod: STI Recoil Master Sights: STI Ramped Front

T.A.S. Rear (Tactical Adjustable Sight)

Length: 6.5" / 7.75"

Weight: 24.8 oz / 37.28 oz

Finish: Blued- Polished Sides Of Slide

Options Available:

·Ambi Thumb Safeties ·Tritium Bar T.A.S. (Tactical Adjustable Sights)

Phone: (512) 819-0656 Fax: (512) 819-0465 Page 21



.45 ACP

STI 1911 Government Forged Steel Frame with Front Strap 30 LPI Checkering and Steel Magwell, Undercut Trigger Guard

Grip: STI Checkered G10 Grip Panels Slide: Classic, Flat Top with Front and Rear

Cocking Serrations

Triager: STI Long Curved Aluminum Barrel:

5.11" STI Bushing Barrel, Ramped, Fully Supported

Safeties: STI High-Ride Beavertail Grip Safety Single Sided Thumb Safety (Blued)

Guide Rod: STI Recoil Master

Sights: STI Ramped Tritium Front,

Dawson Precision/STI "Perfect Impact"

Tritium Rear

8.5" Length: Weight: 36.7 oz

Finish:



Blued With Sides of Slide Polished

Options Available:

·Hard Chrome (Shown above) ·Color Inlay (Shown above) ·Ambi Thumb Safeties ·Full Length Guide Rod

Special Features:

·Slide is flat topped with diamond LPI ·Barrel Crowned Flush w/ Bushing Blended Magwell



.45 ACP, .40 S&W, 9x19

Frame:

1911 Government Forged Steel Frame, Checkered Front Strap with Steel MSH & Magwell, Undercut Trigger Guard

Grip: Slide: Checkered Cocobola Grip Panels Classic, Flat Top with STI Front and Rear **Cocking Serrations**

Trigger:

STI Long Curved Trigger

Barrel:

5.11" STI Bushing Barrel, Ramped, Fully

Supported

Safeties:

STI High-Ride Beavertail Grip Safety Ambidextrous Thumb Safeties (Stainless)

Guide Rod: Sights:

STI Recoil Master STI Competition Front STI Adjustable Rear

Length: Weight:

8.5" 35.3 oz

Finish:

Blued with Sides of Slide Polished



Options Available:

- ·Hard Chrome
- ·Dawson Fiber Optic Front Sight
- Single Sided Thumb Safety



.45 ACP, 9x19

Frame:

STI 1911 Government Frame w/ Extended Dust Cover, 30 LPI Front Strap Checkering,

Undercut Trigger Guard

Grip: Slide: Checkered Cocobola Grip Panels Unique, Flat Top with STI Front and Rear

Cocking Serrations

Trigger:

STI Long Curved Trigger 5.01" STI Bull Barrel, Ramped, Fully

Supported

Safeties:

STİ High-Ride Beavertail Grip Safety Ambidextrous Thumb Safeties (Stainless)

Guide Rod: Sights: STI Recoil Master STI Competition Front

S

STI Adjustable Rear 8.5"

Length: Weight:

43.2 oz

Blued Matte Finish



Options Available:

·Hard Chrome

Dawson Fiber Optic Front Sight

·Single Sided Thumb

Safety



.45 ACP, 9x19

Frame: STI 1911 "Master" Frame with Front Strap

30 LPI Checkering, Steel Magwell, Square

Undercut Trigger Guard

Grip: Slide: Checkered Cocobola Grip Panels Classic, Flat Top with STI Front and Rear

Cocking Serrations STI Long Curved Trigger

Trigger: Barrel:

6.0" STI Bull Barrel, Ramped, Fully

Safeties:

Supported STI High-Ride Beavertail Grip Safety

Ambidextrous Thumb Safeties (Stainless) STI Two Piece Steel

Guide Rod: Sights: **Aristocrat Front & Rear Sights**

9.5" Length: 44 07

Weight:

Finish:

Blued Matte Finish



Options Available:

·Hard Chrome ·Single Sided Thumb Safety

Phone: (512) 819-0656 Fax: (512) 819-0465



.45 ACP, .40 S&W, 9x19

STI 1911 Government Frame STI Stippled Front Strap, Undercut Trigger Guard

Grip: Slide:

Checkered Cocobola Grip Panels Classic, Flat Top with STI Rear Cocking

Serrations

Trigger: Barrel: STI Long Curved Trigger

4.26" STI Bull Barrel, Ramped, Fully Supported

Safeties:

STİ High-Ride Beavertail Grip Safety Single Sided Thumb Safety (Blued)

Guide Rod: Sights:

STI Recoil Master STI Ramped Front STI Fixed Rear

Length: Weight: Finish: 7.75" 33 oz

Blued Matte Finish



Options Available:

·Hard Chrome ·Thick Grips

·Fixed Tritium Sight

(2 Dot)

·Magwell With Steel Mainspring Housing

Ambi Thumb Safeties



.45 ACP, .40 S&W, 9x19

Frame:

STI 1911 Government Frame STI Stippled Front Strap, Undercut Trigger Guard Checkered Cocobola Grip Panels

Grip: Slide:

Classic, Flat Top with STI Rear Cocking Serrations

STI Long Curved Trigger

Trigger: Barrel:

4.26" STI Bull Barrel, Ramped, Fully

Safeties:

Supported STI High-Ride Beavertail Grip Safety

Guide Rod:

Single Sided Thumb Safety (Blued) STI Recoil Master STI Ramped Front

Sights:

STI Fixed Rear 7.75"

Length: Weight: Finish:

33 oz

Blued Matte Finish

Options Available:

·Hard Chrome

·Thick Grips

·Fixed Tritium Sight

(2 Dot)

·Magwell With Steel Mainspring Housing

Ambi Thumb Safeties

Special Features:

Innovative SCS system which allows you to carry with hammer down but ready to fire by simply dropping the thumb safety.

Fax: (512) 819-0465 Phone: (512) 819-0656



.45 ACP, .40 S&W, 9x19, .38 Super

STI 1911 Forged Frame, Front Strap 30 LPI Checkering, with Checkered Steel D&T

Mainspring Housing and Magwell, Undercut Trigger Guard

Grip: STI G10 Grip Panels Slide: Classic, Tri-Top, Stair

Classic, Tri-Top, Stainless Steel with STI

Sabertooth Cocking Serrations
STI Long Curved Trigger

Trigger: | STI Long Curved Barrel: | 5.11"STI Bushing

5.11" STI Bushing Barrel, Ramped, Fully

Supported

Safeties: | STI High-Ride Beavertail Grip Safety

Ambidexterous Thumb Safeties (Stainless)

Guide Rod: STI Recoil Master Sights: STI Competition Front

STI Adjustable Rear Length: | 8.5"

Weight: 38.3 oz

2 Toned Stainless Slide, Blued with Sides Polished, Frame Blued

Options Available:

Dawson Fiber Optic Front Sight

·Single Sided Thumb Safety





.45 ACP, 9x19

STI 1911 Officer Frame, STI Stippled Front Strap, Undercut Trigger Guard

Grip:

Checkered Cocobola Grip Panels Classic, Flat Top, Stainless Steel with STI

Slide:

Rear Cocking Serrations

Trigger: Barrel: STI Long Curve Trigger

3.96" STI Bull Barrel, Ramped, Fully

Safeties:

Supported STI High-Ride Beavertail Grip Safety

Guide Rod:

Single Sided Thumb Safety (Blued) STI Recoil Master

Sights:

3 Dot (White) T.A.S. (Tactical Adjustable Sight)

Length: Weight: 7.5" 32.4 oz

Finish:

Stainless Slide With Polished Sides and Blued Frame



Options Available:

·Tritium Bar T.A.S. (Tactical Adjustable Sights)

Ambi Thumb Safeties



.45 ACP, .40 S&W, 9x19

1911 Forged Aluminum Officer Length Frame,

Stippled Front Strap, Undercut Trigger Guard Grip: Checkered Cocobola Grip Panels

Slide: Classic, Round Top with Rear Cocking

Serrations

Trigger: Barrel: Safeties:

STI Long Curved Trigger

3.24" STI Bull Barrel, Ramped, Fully Supported STI High-Ride Beavertail Grip Safety,

Single Sided Thumb Safety (Blued)

Guide Rod: Sights:

STI Recoil Master STI Competition Front 3 Dot (White) Tactical Adjustable Sight (T.A.S.)

Length:

Weight: Finish:

22.8 oz KG Coated Frame, Blued Slide

Options Available:

- ·Tritium Bar T.A.S. (Tactical Adjustable Sights)
- ·Ambi Thumb Safeties



Safeties:

Guide Rod:

.45 ACP, .40 S&W, 9x19

1911 Forged Aluminum Officer Length

Frame, Stippled Front Strap, Undercut Trigger

Guard

Grip: Ultra Thin G-10

Slide: Round Top with Rear Cocking Serrations &

Integral Sight Channel

Trigger: STI Long Curved Trigger
Barrel: 3.24" STI Bull Barrel. Ram

3.24" STI Bull Barrel, Ramped, Fully Supported STI High-Ride Beavertail Grip Safety

Single Sided Thumb Safety (KG Coated)

STI Recoil Master

Sights: Fixed Tritium (2 dot) Sights, Lowered and Inset

Into Slide

Length: 7.0" Weight: 23.4 oz Finish: Matte B

Matte Black KG Coated



Options Available:

·Ambi Thumb Safeties



.45 ACP, 9x19

1911 Forged Aluminum Officer Length Frame, Stippled Front Strap, Undercut Trigger Guard

"Pearl" style, Standard Thickness Grip: Slide:

Classic, Round Top, Stainless Steel with STI Sabertooth Cocking Serrations & Integral Sight

Channel

Trigger: STI Short Curved Trigger

Barrel: 3.24" STI Bull Barrel, Ramped, Fully Supported Safeties:

STI High-Ride Beavertail GripSafety Single Sided Thumb Safety (KG Coated)

STI Recoil Master Guide Rod:

Sights: Fixed Tritium (2 dot) Sights, Lowered and Inset

Into Slide

Length: Weight: 22.8 oz

KG Coated, w/ Sides of Slide Polished Finish:



Options Available:

·Black or Pink Version Ambi Thumb Safeties ·Long Curve Trigger



.45 ACP, 9x19

Frame:

STI 1911 Officer Length Frame, Integral Light Rail, STI Stippled Front Strap, Undercut

Trigger Guard

Grip: Slide: Checkered Cocobola Grip Panels

Classic, Round Top with Rear Cocking

Serrations

Trigger: Barrel: STI Long Curved Trigger

Safeties:

3.24" STI Bull Barrel, Ramped, Fully Supported STI High-Ride Beavertail Grip Safety

Single Sided Thumb Safety (Blued)

Guide Rod: Sights:

STI Recoil Master STI Competition Front

3 Dot (White) Tactical Adjustable Sight (T.A.S.)

Length: 7.0"

31.3 oz

Weight: Finish:

Blued Matte Finish



Options Available:

·Tritium Bar T.A.S. (Tactical Adjustable Sights)

·Fixed Tritium Sight (2 Dot)

·Ambi Thumb Safeties



Caliber: 9x19

STI 1911 Compact Frame, Stippled Front Frame:

Strap, , Undercut Trigger Guard Checkered Cocobola Grip Panels

Grip: Steel with STI "Bullet" Style Front & Rear Slide:

Cocking Serrations Trigger: STI Long Curved Trigger

3.4" Fully Supported, Ramped w/ Linkless Barrel:

Lock Up

STI High-Ride Beavertail Grip Safety Safeties:

Single Sided Thumb Safety (Blued)

Guide Rod: STI Recoil Master Sights: Slide Integral Front

Heine Low Mount Rear

Length: 7.0" Weight: 26.6 oz

Blued Matte Finish Finish:



Options Available:

·Hard Chrome



Caliber:

Frame:

STI 1911 Government Frame, STI Stippled Front Strap, Undercut Trigger Guard (1911) / STI Patented Modular Steel (Long

Wide)

Grip:

Checkered Cocobola Grip Panels (1911) / Black Glass Filled Nylon Polymer (2011) Hardened carbon steel, with Front & Rear Slide:

Cocking Serrations

Triager: STI Long Curved Trigger

Barrel: 5.01" Bull Barrel

Single Sided Thumb Safety (Stainless) Safeties:

Guide Rod: One Piece Steel

Sights: Fixed Front, Adjustable Rear 8.0"

O.A. Length:

Weight: 35.04 oz / 32 oz Blued Matte Finish Finish:

Options Available:

· None



Options Available:

Caliber: .45 ACP

1911 Government Steel Frame, Bald Front None Frame:

Strap

Smooth Wood Grip Panels Grip:

Slide: Classic with Rear Cocking Serrations

Trigger: Traditional Steel Trigger Barrel:

5.11" Non-Ramped Bushing Barrel Safeties: Traditional Beavertail Grip Safety Traditional Single Sided Thumb Safety

(Blued)

Guide Rod: One Piece Original Length GI Style Guide

Traditional GI Steel Sights Sights:

8.5" Length: Weight: 35.3 oz

Finish: Blued Matte Finish



Caliber:

Safeties:

Guide Rod:

9x19

1911 Government Steel Frame, Bald Front None Frame:

Strap

Grip: **Smooth Wood Grip Panels** Slide: Classic with Rear Cocking Serrations

Traditional Steel Trigger

Trigger: Barrel: 4.26" Non-Ramped Bushing Barrel

Traditional Beavertail Grip Safety Traditional Single Sided Thumb Safety One Piece Original GI Style Guide Rod

Traditional GI Steel Sights

Sights: 7.5" Length:

Weight: Finish:

Options Available:

Page 37

34.5 oz Blued Matte Finish



Options Available:

Caliber: .45 ACP, 9x19

1911 Government Steel Frame, Bald Front None Frame:

Strap

Grips: Hand Checkered Double Diamond

Mahoany Grip Panels

Classic with STI Front and Rear Cocking Slide:

Serrations

Trigger: STI Long Curved Trigger Barrel:

5.11" Chromed Non-Ramped Bushing

Barrel

STI High-Ride Beavertail Grip Safety Safeties: Single Sided Thumb Safety (Parkerized)

Guide Rod: One Piece Full Length Steel

Fiber Optic Front Sights: Adjustable Rear

Parkerized

Length: 8.5" Weight: 35.3 oz

Finish:

Page 38



Caliber: .45 ACP, 9x19

Frame: 1911 Officer/Commander Steel Frame, Bald

Front Strap

Grip: Hand Checkered Double Diamond

Mahogany Grip Panels

Slide: Classic with STI Rear Cocking Serrations

Trigger: STI Long Curved Trigger

Barrel: 3.24"/4.26" Chromed Non-Ramped Bushing

Barrel

Safeties: STI High-Ride Beavertail Grip Safety

Single Sided Thumb Safety (Parkerized)

Guide Rod: One Piece Full Length Steel

Sights: Competition Front Adjustable Rear

Length: 8.01" / 7.34" Weight: 32.7 oz / 34.3 oz

Finish: | Parkerized

Options Available:

·None



Caliber: 9x19

Frame: 30RC, Chrome Moly Steel

Grip: Textured Polymer with Integral Tactical Rail Slide: 3.7" (GP5) / 4.25" (GP6) Tri-Top with Front

and Rear Cocking Serrations

Trigger: DA/SA

Barrel: 3.66" (GP5) / 4.25" (GP6)

Safeties: Ambidextrous Thumb Safeties (Polymer)

Guide Rod: One Piece

Sights: Fiber Optic Front (GP5). Standard Steel

(GP6), Windage adjustable Rear w/ key

O.A. Length: 7.25" (GP5) / 7.97" (GP6) Weight: 24.2 oz (GP5) / 26.1 oz (GP6)

Finish: Blued

Features: Ambidextrous mag release,

Ambidextrous slide stop,

Internal extractor

Options Available:

·DA/SA or DAO

Pistol Includes:

·Two Magazines

·Three interchangeable

back straps

Competition Approvals:

·IPSC

·USPSA

·IDPA

IDPA

·NRA Action Pistol



Caliber:

Trigger: Barrel:

Compensator: Gas Block: Handguard: Sights: Overall Length: Weight:

> Finish: Competition Approvals:

er: 5.56mm NATO, .223 Remington

(NOTE: the .223 meets US Export Regulations)

JP Trigger Group

16" 410 stainless steel, 1:8 twist, 1/2" x 28 thread (compensator)

Nordic Components Tactical Compensator

Custom STI Valkyrie Gas Block Custom STI Valkyrie Hand Guard N/A

36"

Competition: 6 lbs 10 oz Tactical: 6 lbs 7.8 oz

Black Teflon Coating over hard anodize

USPSA

Options Available:

Buttstock

·A2 (Fixed) ·Carbine (Collapsible)

Forearm

·STI Valkyrie (Short) ·STI Valkyrie (Long) ·STI Quadrail (Short) ·STI Quadrail (Long)

Gas block

Competition (Bald)
Tactical (Rail)

Page 41

Comp

·Tactical ·Corvette ·Shark

1911 FRAME KITS

1911 Investment Cast Frame

Material:

4140 steel, investment cast, heat treated to 28-32 rockwell.

Features:

*Oversize rails for precise slide fits.

- *Tang is cut .250" radius for beavertail grip safety.
- *Undercut trigger guard
- *Bare front strap
- *Ramp cut (only) (STI, Wilson-Nowlin)

part number: 190-35012011-00

1911 Master Series Frame

Material:

4140 steel, investment cast, heat treated to 28-32 rockwell.



Features:

- *Oversize rails for precise slide fits.
- *Tang is cut .250" radius for beavertail grip safety.
- *Undercut trigger guard
- *Square trigger guard
- *30 LPI checkered front strap
- *Ramp cut (only) (STI, Wilson-Nowlin)

part number: 190-50010211-00


1911 Forged Frame

Material:

4140 steel, forged, heat treated to 28-32 rockwell.



*Oversize rails for precise slide



- *Undercut trigger guard
- *Bare front strap (only)
- *Ramp cut (only) (STI, Wilson-Nowlin)

part number: 190-35010224-00

2011 FRAME KITS

The patented STI 2011 Frame is manufactured from 4140 Maxxell Alloy steel, pre-cut for high ride beavertail grip safety and ambidextrous thumb safety configuration. The frame is CNC milled billet, creating a very accurate frame to build the highest quality pistols. The innovative frame design preserves the 17 degree angle of grip in relation to the slide, original to the 1911. The essential design element for high capacity, the 2011 grip, is made from glass filled nylon polymer and is checkered with 30 lpi in the complete front strap and 25 lpi on the trigger guard. Available in black, gray, blue, and red. To increase strength and durability, metal inserts are molded into the grip to allow metal to metal contact with the frame.

All frame kits include: frame, grip, magazine release, mainspring housing and trigger.









2011	Frame	Ramp Cut	4140 Steel	Custom Serial #	D&T For Scope	Wide Frame	Short/GS Trigger	Colored Grip
Frame	Standard	χ	Std	χ	χ	χ	Х	χ
Option	5.0"	Х	Std	Х	Х	Std	Х	χ
List	Tactical	Std	Std	N/A	N/A	N/A	Х	N/A
List	6.0"	χ	Std	χ	χ	Std	Х	χ

SLIDES

STI International slides are CNC milled from pre-hardened barstock 4140 carbon steel to ensure slide rail exactness. The breech face is wire EDM cut for maximum precision angle. STI offers three slide lengths: 4.15" (Commander), 5" (Government), and 6" (Long Slide). The slides have lowered and flared ejection ports (largest in the industry) for reliable case ejection. STI offers a wide variety of options on our slides that can save time for the final assembly of a high quality pistol.



4.15" Classic Slide

* Shown with Round top, No sight cuts, No cocking serrations, STI logo

5.0" Classic Slide

* Shown with Flat top, Bomar rear sight cut, Dovetail front sight cut, Front and rear cocking serrations, No STI logo

5.0" Unique Slide

* Shown with Tri-Top, Novak rear sight cut, Dovetail front sight cut, Front & Rear cocking serrations, No STI logo

6.0" Classic Slide

* Shown w/ Round top, No sight cuts, No cocking serrations, No STI logo

6.0" Unique Slide

* Shown w/ Flat top, Bomar rear sight cut, Dovetail front sight cut, Rear cocking serrations, STI logo

SLIDE C	PTION LI	ST				*Foi	Frame Option	ons, See Pa	age 43
Slide	Rear Serrations	F&R Serrations	STI Logo	Front Sight Cut	Bomar Rear Cut	Novak RearCut	Slide Lightening	FlatTop Slide	Tri-Top Slide
4.15" Classic	Х	N/A	Х	Х	Х	Х	Х	Х	Х
5.0" Classic	Х	Х	Х	Х	Х	Х	Х	Х	Х
5.0" Unique	Х	Х	X	Х	Х	Х	Х	Х	X
6.0" Classic	Х	Х	Х	Х	Х	Х	Х	Х	Х
C 0// 11=:====	v	v	v	v	V	v	v	v	v

SLIDE TO FRAME FITS

The STI slide to frame fit is offered in both the 2011 and the 1911 style frames. Each frame is precisely hand fit to the slide. This offers a tight yet smooth fit, aiding in the basics of any high quality pistol.





Also available from STI are 2011 Short Blocks.
Includes: Frame, Slide, Barrel, Recoil System and Slide Stop (installed).
Call your STI sales representative for details

Phone: (512) 819-0656 Fax: (512) 819-0465 Page 43

BARRELS

STI barrels are made from 416 rifle grade stainless steel billet forgings. The bore is gun drilled, button rifled, then air gauged to offer the most exacting size, and most consistant barrel available. The rifling is 1 in 16 twist and has 6 lands and grooves. The barrels are vacuum heat treated and vacuum tempered to 40Rc, then machined to exacting specifications. The barrels are short chambered to allow gunsmiths to cut the chamber to their application.

ITEM	PART NUMBER	BULL BARREL
5" BULL		Available calibers: .355, 9mm, .38 super, .400
.355	200-50.351100-00	
9X19	200-509191100-00	
38Super	200-503801100-00	
.400 .40 S&W	200-50.401100-00	
.40 S&W .450	200-504001100-00 200-50.451100-00	5.01" Bull Barrel
.45 ACP	200-504501100-00	
6"BULL	200 30 130 1100 00	
.355	200-60.351100-00	
9X19	200-609191100-00	6.0" Bull Barrel
38Super	200-603801100-00	
.400	200-60.401100-00	BUSHING BARREL
.40 S&W	200-604001100-00	Available calibers: .355, 9mm, .38 super, .40
.450	200-60.451100-00	Includes: Barrel, Stainless Steel Bushing, Bar
.45 ACP	200-604501100-00	metades surrey stames seer sustaining sur
5" BUSHING		
.355	200-50.352100-00	
9X19	200-509192100-00	
38Super .40 S&W	200-503802100-00 200-504002100-00	5.11" Bushing Barrel
.45 ACP	200-504502100-00	
	200 30 1302 100 00	
6"BUSHING 9X19	200-609192100-00	
38Super	200-603192100-00	6.0" Bushing Barrel
.40 S&W	200-604002100-00	6.0" Bushing Barrel
.45 ACP	200-604502100-00	
TRUBOR (T1)		TRUBOR BARREL
.355	200-55.3551101-00	T1 Available calibers: .355, 9mm, .38 super T2 Available calibers: .355, 9mm, .38 super
9X19	200-559191101-00	Non port Trubor blank: .355, 9mm, .38 super
38Super	200-553801101-00	
TRUBOR (T2)		
.355	200-55.3551102-00	T D 1/5 04/0 //
9X19	200-559191102-00	Trubor Barrel (5.01") w/ Integra
38Super	200-553801102-00	CHARLE
TRUBOR		6
BLANK		Trubor Barrel (5.01") w/ Integra
.355	200-55.3801103-00	masor barrer (5.01) w/ integra





RECOIL MASTERS & SPRINGS

The STI Recoil Master is designed to achieve softer recoil and bring the pistol back to point of aim quicker by using two springs for recoil verses the traditional single spring.

The 5" Recoil Master will fit all government model 1911 style pistols. (Some fitting may be required for non-STI firearms.) The 4.15" and 3.9" are designed for STI pistols only.

Note: The primary spring on your STI Recoil Master should be changed out every 5000 rnds and the Recoil Master itself replaced after 25,000 rounds. Failure to do so can result in damage to your pistol.



Suggested Recoil Springs

5"9mm guns	12 lbs
5".40 S&W guns	14 lbs
5".45 ACP guns	16 lbs
6" 9mm guns	10 lbs
6".40 S&W guns	12 lbs
6".45 ACP guns	14 lbs

Recoil Spring (10 lbs)
Part #: 800-009-00

Recoil Spring (11 lbs)
Part #: 800-010-00

Recoil Spring (12 lbs)
Part #: 800-011-00

Recoil Spring (13 lbs)
Part #: 800-012-00

Recoil Spring (14 lbs)
Part #: 800-013-00

Recoil Spring (16 lbs)
Part #: 800-014-00

Suggested Recoil Masters

Compensated Pistols Light 5" 9mm Light 5" .40 S&W Heavy 5" .45 ACP Heavy

Recoil Master 3.9 Heavy (Bull)
Part #: 650-01390201-00

Recoil Master 3.9 Light (Bull)
Part #: 650-01390101-00

Recoil Master 3.9 Twin Pack (Bull)
Part #: 650-01390301-00

Recoil Master 4.15 Heavy (Bull) Part #: 650-01410201-00

Recoil Master 4.15 Medium (Bull)
Part #: 650-01410401-00

Recoil Master 4.15 Twin Pack (Bull)
Part #: 650-01410301-00

Recoil Master 5.0 Heavy (Bushing)
Part #: 650-02500201-00

Recoil Master 5.0 Heavy (Bull)
Part #: 650-01500201-00

Recoil Master 5.0 Light (Bushing)
Part #: 650-02500101-00

Recoil Master 5.0 Light (Bull)
Part #: 650-01500101-00

Recoil Master 5.0 Twin Pack (Bushing)
Part #: 650-02500301-00

Recoil Master 5.0 Twin Pack (Bull)
Part #: 650-01500301-00

Phone: (512) 819-0656 Fax: (512) 819-0465 Page 45

GRIPS & TRIGGERS

Replacement 2011 grips for the STI line of pistols and frames. The glass filled nylon polymer grip is the second component of the 2011 modular (high capacity) frame system. Currently available in 6

colors:

2011 Grip 2011 Grip (Black) (Blue) Part #: Part #: 600-0210100-00 600-0210200-00 2011 Grip 2011 Grip (Red) (Gray) Part #: Part #: 600-0210500-00 600-0210300-00 2011 Grip 2011 Grip

(Coyote Tan) (OD Green)

Part #: Part #:
600-0210600-00 600-0210700-00



Manufactured from a single block of aerospace grade 6061 aluminum, the STI Aluminum Grip does not require any special fitting or parts, but is a simple drop on part.* The grip comes with an anodized hard coat for unmatched durability in both fit and finish.

*older frames might require minor fitting

The STI trigger bow is wire EDM cut stainless steel, with a notch for trigger take up adjustment. The trigger bow is a glass filled nylon polymer to prevent inertial firing, with a set screw for overtravel adjustment.

1911 Aluminum (Long)

Part #:

585-011020607-00

Our new 2011 Tactical magwell! Enhancements include lighter weight, side cutouts allowing ease of magazine removal during extreme clearance drills and an integral lanyard loop attachment hole.



2011 Tactical Magwell Part #: 625-0230002-00

All STI Magwells are a direct install to all STI 2011 pistols and frames (and yes, they DO fit in the

2011 Al. Magwell 2011 SS Magwell Part #: Part #: 625-0230000-00 625-0220000-00

IPSC Box.)

1911 Magwell (Slim) 1911 Magwell (Std) Part #: Part #: 625-0140000-00 625-0140001-00

td) *D&T MSH Sold

*D&T MSH Sold Seperately (See page 48)




1911 Short Curve (Black)

Part #:

585-012020501-00

MAGAZINES & COMPONENTS

The STI 2011 magazine is manufactured out of 410 stainless steel, producing a magazine with longer life, greater strength, and better corrosion resistance. STI 2011 magazines are built specifically for all STI 2011 style pistols and frames. In combination with the 2011 patented frame, the STI 2011 magazine allows for maximum round capacity, ranging from 10 to 26 rounds (depending on length and caliber).









STI's new 1911 .45 mag is stainless steel and tumble finished to ensure no sharp edges. Improved feeding, reliability, and durability are among the features.

Capacity is 8 rounds of .45ACP.

STI 1911 .45 Magazine Part #: 585-022020501-00





2011 Base Plate 2011 Mag Follower

710-98556-13-00
710-98552-13-00 710-98555-13-00
710-98550-11-00 710-98551-10-00
710-98553-13-00

Phone: (512) 819-0656 Fax: (512) 819-0465

PARTS

STI thumb safeties are designed for both 1911 and 2011 pistols. Offered in both ambidextrous and single sided models, the safeties have contoured & serrated pads that allow for the thumb to contact the safety in a natural position, providing a comfortable thumb placement for shooters.

Carbon steel is 4140 Stainless steel is 17-4



Short Block Completion Kits for the 2011:

Everything you need to finish out an STI shortblock (except for sights) in one convenient kit.

Kit Includes:

Firing Pin, Sear Spring, Firing Pin Return Spring, Plunger Tube Spring, S-7 Sear, Hammer Strut, Hammer Pin, Hammer Strut Pin, Sear Pin, Series 70 Grip Safety, Mainspring Cap, Ejector Pin, Slide Stop Plunger, Thumb Safety Plunger, Mainspring Housing Retainer, Mainspring Cap Pin, Disconnector, Firing Pin Stop, Extractor, Mainspring, Ejector, Ejector Pin, Hammer, Thumb Safeties

Pin Kits for the 2011:

Hammer Pin, Hammer Strut Pin, Barrel Link Pin,Sear Pin, Slide Stop Plunger, Thumb Safety Plunger, Ejector Pin, Mainspring Cap, Mainspring Housing Pin, Mainspring Housing Retainer, Mainspring Cap Pin.

Pin Kits for the 1911:

Hammer Pin, Hammer Strut Pin, Barrel Link Pin, Sear Pin, Slidestop Plunger, Thumb Safety Plunger, Ejector Pin, Mainspring Cap, Mainspring Housing Pin, Mainspring Housing Retainer, Mainspring Cap Pin

Springs for the 2011:

Sear Spring, Mainspring (15 or 19 lb), Plunger Tube Spring, Firing Return Spring, Recoil Spring (Specify Weight 8-18 lbs), Recoilmaster Primary Spring (Specify Weight: Heavy or Light and Length: 4.15" or 5"). The STI 1911 magwell is manufactured out of 4140 steel. The Steel mainspring housing is checkered 30 LPI for a sure grip. The magwell aids in faster reloads and in grip control of the pistol. Available for both Thin and Standard width grips.



MSH & Magwell (Std)

Part #:
625-0140003-00

MSH & Magwell (Thin) Part #: 625-0140002-00



Reverse Plug (5.0") **Part #: 575-015001-00**

Spring Plug (6.0") **Part #:**575-026001-00



The STI high rise beavertail grip safety is designed for all 1911 and 2011 pistols. It is produced out of 4140 steel or 17-4 stainless steel. The safety arm is pre-notched, has a deeper strut groove, and pre-cut knuckle clearance, providing positive safety activation and comfortable high grip. The grip safety can be removed without the removal of the mainspring housing (an industry first).



Stainless Steel Grip Safety
Part #: 555-700200-00



Blued Steel Grip Safety
Part #: 555-700100-00

PARTS

STI hammers are wire FDM cut, then precision ground and polished from A-6 tool steel. STI sears are wire EDM cut using S-7 tool steel, producing the highest quality hammer and sear for crisp and lightweight trigger pulls. STI Hammers are available in three styles: Commander, Spur, and Sear

Commander Spur S-7 Sear Commander Square Sear Part #: Part #: Part #: Part #: 530-0101-00 530-0301-00 530-0201-00 565-0100-00 STI Hammer struts are wire FDM cut from titanium. This allows for very fast lock up and adds minimum weight to the entire trigger system. aiding in even crisper and lighter trigger weight.

The STI ejector is manufactured out of 4140 steel. Available in the following specific calibers: .45 ACP, .40 S&W, .38 Super, & 9mm extended

510-0345000-00 (38/40) Part #:

510-0338400-00 (9mm Extended) Part #:

Extractor 45

(.45) Part #:

The STI extractor is manufactured out of high quality spring steel. Available in: 9x19, .38 Super, .40 S&W, or .45 ACP Part #: 10-0345001-00

Extractor 38/40 Part #: 515-0338401-00 Extractor 9 Part #: 515-0391900-00

The STI Disconnector is made out of FN 0205 steel: a perfect addition to the STI Hammer and Sear

Titanium Strut

Part # 580-01-00

Disconnector Part #: 500-01-00

STI Firing pin stop in 4140 steel. Available standard or cut for Bomar sights.

Firing Pin Stop 9/38/40 Part #: 520-38400-00 Firing Pin Stop 9/38/40 Bomar Part #: 520-38402-00 Firing Pin Stop .45 Part #: 520-45000-00

Firing Pin Stop .45 Bomar Part #: 520-45002-00

STI Mag Catches are 4140 carbon steel heat treated to 38 - 42 Rockwell hardness. Built for 1911 and 2011 pistols the STI Mag Catch holds up to any demand put by the shooter. Also available with oversized button for even quicker magazine ejection.

The STI slide stop is 4140 carbon steel heat treated to 38 - 42 Rockwell hardness. creating a very precise slide stop.

Slide Stop

Part #: 570-00-00

The STI Sear Spring is made of high quality spring steel. It is the classic 3 prong configuration and features a wider base than many models. for a more secure fit and more reliable function.

Sear Spring Part #: 580-01-00

2011 Mag Catch Mag Catch

Part #:

540-0201-00

1911

Part #: 540-0103-00

D&T Mag Catch



Part #: 540-0202-00 Button

Oversized

Part #:



STI Firing pins are available in stainless steel or titanium. Calibers: 9x19/.38/.40/.45

Stainless (9/.38/.40) Part #: 525-3840201-00 Titanium (9/.38/.40) Part #: 525-3840401-00

Stainless (.45) Part #: 525-4500201-00 Titanium (.45) Part #: 525-4500401-00

Phone: (512) 819-0656

Page 49 Fax: (512) 819-0465

SIGHTS & SCOPES

STI manufactures a wide variety of sights for pistols, ranging from carry to competition and PPC competition. Night sight sets are also available. STI uses Trijicon tritium inserts for the brightest, highest quality night sights available on the market. STI sights are designed to fit industry standard sight cuts.

STI Adjustable



Fits Bomar cut: 60° X .359

Part #:
225-02050004-00

STI Adjustable Night Sight Set



Fits Bomar cut: 60° X .359
Part #:
225-03050001-00 (3.9/4.15)

225-03050001-00 (3.9/4.15 225-03050002-00 (5/6

Aristocrat PPC Sight Set



.500" Milled Cut On Slide
Part #:
225-03050004-00

STI Fixed



Part #: 225-02060005-00

STI Fixed Night Sight Set



Fits Novak cut: 65° X .495
Part #:
225-03060002-00 (3.9/4.15)
275-03060003-00 (5/6)

STI T.A.S. (Tactical Adjustable Sight)



Fits Novak cut: 65° X .495 Part #: 225-0205007-00

STI Competition Front Sight



Fits Dovetail cut: .300 X 60°
Part #:
225-01020001-00

STI Ramped Front Sight



Fits Dovetail cut: .300 X 60° Part #: 225-01010002-00 (3.9/4.15)

Dawson Fiber Optic (.100) Front Sight



Fits Dovetail cut: .300 X 60°

Part #:

225-01030007-00

C-More Scope (Non-Click Adjustment)



(Black) Part #: 250-01016011-00 (Gray) Part #:

(Blue) Part #: 250-01016021-00 (Red) Part #: 250-01016051-00

C-More Scope (Click Adjustment)



(Black) Part #: 250-01016012-00 (Gray) Part #:

250-01016022-00 (Red) Part #: 250-01016052-00

STI Scope Mount (C-More)



275-11101-00

RIFLE PARTS

STI's stripped lower receiver provides an outstanding starting point for custom AR-15 style builds.

Available in both .223 remington and 5.56 NATO



AR Lower Receiever (5.56) Part #: 350-0001223 (.223) Part #: 350-0001223

STI's matched upper and lower ensures the perfect framework for a custom AR style build.

Available in both .223 reminaton and 5.56 NATO



AR Upper/Lower Receiever (Matched) (5.56) Part #: 350-0010556 (.223) Part #: 350-0010223

The STI Valkyrie handguard is one piece precision machined from aluminum, hard anodized and Teflon coated. Available in two lengths: competition (long), and tactical (short).



AR Valkyrie Fore End
Part #: 350-0005 (Long/Competition)
Part #: 350-0004 (Short/Tactical)

Carefully machined to Mil-Specs, the STI A3 Upper Receiver offers superior performance with the strength and durability to serve as the foundation for a true custom built rifle.



AR Upper Receiver w/ Forward Assist & Dust Cover (Also Available Stripped)
Part #: 350-0003

Part #: 350-0002 (Stripped)

A simple, low profile design that can use a rifle length forearm on a carbine length barrel setup. It uses three allen head screws to clamp on to the barrel for an air tight seal.



AR Unrailed Gas Block Part #: 350-0007



AR Railed Gas Block Part #: 350-0006

Page 51

The STI quad rail handguard is one piece precision machined from aluminum, hard anodized and Teflon coated. The helical vents are engineered to maximize air flow to prevent overheating and to reduce the overall weight.

Available in two lengths: competition (long), and tactical (short).



AR Quad Rail
Part #: 350-0016 (Long/Competition)
Part #: 350-0015 (Short/Tactical)

GEAR



















For European Apparel Sales, Contact Saul Kirsch: Tel: +31 416 660 464 Fax: +31 416 392 040 www.DoubleAlpha.Biz

More STI Gear is available at: www.CafePress.com/STIguns

COMPANY STATEMENT

STI International Inc- located in Georgetown, Texas- is a world renowned manufacturer of 1911 and 2011 style pistols. With over 20 years experience delivering the highest quality in pistols, parts, and components, STI International offers a wide variety of models of pistols in multiple calibers, currently available through dealers and distributors in the US, Canada, Europe, Asia, and South America.

ORDFRING

- STI does not sell direct to the public, but through distributors and dealers worldwide.
- STI International has a \$250.00 minimum order.
- For orders under \$250.00, please visit our web site: www.stiguns.com for a complete list of distributors and dealers.

PAYMENT

- Acceptable payment for items and services include: Check, Mastercard, Visa, and American Express.
- STI does not charge credit cards until product is shipped, unless otherwise informed.
- Wire transfers are also accepted, please contact STI for additional information.
- Open accounts are also available for established businesses.

SHIPPING

- Pick-Up Service Monday-Friday by appointment only.
- All pistols are shipped UPS 2 Day (unless otherwise noted)
- All firearms and frames must be shipped to an FFL (Federal Firearms License) Holder.

WARRANTY STATEMENT

STI International, Inc. manufactures all of its own components except pins, springs, and scopes. The suppliers of these purchased parts are reputable manufacturers with whom we have long term business relationships. We are, therefore, supremely confident in the fit, form, and function of every firearm and firearm part that we ship to our loyal customer base. With that in mind, we unconditionally warranty our products for their intended purpose, when properly installed. Abuse and normal wear are excluded.

Call STI for a Return Authorization (RA#) for return of any item to STI. The RA number must be marked on the outside of the box.

Packages will NOT be accepted without an RA number.



What is that symbol I keep seeing?

That little symbol is a "QR code" and it allows smart phone users to quickly get more information about our products and services. By using free barcode scanning applications on your phone, you can be taken directly to the relevent areas of our website.

STI International, Inc. 114 Halmar Cove Georgetown, TX 78628

PH: 512-819-0656 FAX: 512-819-0465 www.STlguns.com

*ALL PRODUCTS, SPECIFICATIONS, AND TERMS SUBJECT TO CHANGE WITHOUT NOTICE

All items Copyright © 1998-2012 STI International, Inc.

STI, STI International, and the STI Swirl are registered trademarks of STI International, Inc. Catalog V.12.1 All entries are representative only and subject to change without notice.